

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/698,259
Source:	IFWO -
Date Processed by STIC:	11/14/03~

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221 Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 4.1 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm , EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry directly to (EFFECTIVE 12/01/03):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B'03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1803-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

SEQUENCE LISTING

	<110> APPLICANT: Nguyen, Beth Choi, Paula Sanders, Virginia Castillo, Gerardo Snow, Alan <120> TITLE OF INVENTION: Rapid Induction of Alzheimer's Amyloid Plaque Formation by Sulfated Glycosaminoglycans <130> TILE REFERENCE: PROTEO.PO8CI <140> CURRENT APPLICATION NUMBER: <141> CURRENT FILING DATE:	betreel ver Listing brook
	<150> PRIOR APPLICATION NUMBER: 10/007,779 <151> PRIOR APPLICATION FILING DATE: 2001-11-30 <160> SEQ ID NOS: 1	omply le Noeder
nsert.		porse do
	Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala	o7. It is eader only
	35 40	

Dle attacked sample Sequence Listerij for valid format

```
Smith. John:
                              Smithgene Inc.
   <110>
   <120>
                Example of a Sequence Listing
  <130>
                01-00001
                                                                                 烷:
                PCT/EP98/00001
  <1(0)
  <1(1)
                1998-12-31
  <150> .
                US 08/999,999
  <151>
               1997-10-15
  <160>
 <170>
               Patentin version 2.0
 <210>
               189
 <211>
 <212>
               DNA
 <213>
               Paramedium sp.
 <220>
 <221>
               CUS
 <222>
               (279) . . . (389)
 < )00>
 <301>
              Doc. Richard
               Isolation and Characterization of a Gene Encoding a
 < )02>
              Protease from Parameeium sp
<101>
              Journal of Genes
<30¢>
< 305>
<306>
              1 - 7
<307>
              1988-06-31
<308>
              123456
< 309>
              1900-06-31
<400>
                                                                                        60
                                        cigggerici
agelglagic
              altectgtgt
                           cciciicici
                                                     caccetgeta
2999292969
                                                                                       120
              tettgaccet
                                                     coggcoggco
                           cctctgcctt
                                        Lgcagctica
                                                                  ggcaggcagc
                                                                                       180
rgatgtggca
              actgctggca
                           gtgccacagg
                                        cttttcagcc
                                                     9000119000
                                                                  tgggttccgc
                                                                                       240
cgcggcgcgg
             cggcccctct
                           cococtcctc'
                                       tegegeetet
                                                     ctctcgctct
                                                                  cclctcgctc
```

...

Sample

コ

```
tca ato tcc
                                           CAPELAGE
                                                                 gtt
   ggacctgatt aggtgagcag
                               0400400000
                                                                                             296
                                                           He't
                                                                 Val
                                                                      Ser Het Phe
                                                             1
               tte AAA tgg cct gga ttt tgt ttg bet gtt tgt ttg ttc
Phe Lys Trp Cro Gly Phe Cys Leu Phe Val Cys Leu Phe
10 20
  icto tet
                                                                                       Caa
                                                                                             344
   Lcu. Scr
                                                                                      Cln
              aaa otc ctc
Lys -Val Leu
                                               tca tca ctg cag ccg aat ctt
Ser Ser -beu Gln Pro Asn. -bau#
   tot
         CCC
                               C.C.C
                                     tot cac
                                                                                            389
   Cys
         Pro
                               rro
                                    Cys His
               25
                                           30
                                                                                   1
  <210>
                2
  <211>
                37
  <212>
                LKJ.
  <213>
                Paramecium sp.
  <<00>
                                                         Trp Pro
  Het Val
             Ser Het Phe Ser
                                         Scr
                                             Plic Lys
                                                                    Cly Phy Cys
                                   Lou
 Phe
       Val
                   LCU
                        the Cla Cys tro
                                              1.ys
                                                    Va l
                                                         Lou Pro
                                                                    Cys His
                                                                               Ser Ser
                   20
                                                                           10
       Cln
             l'ro
                  1.5n
                       I.gu
              35
 <210>
               )
 <211>
 <212>
               TRT
 <213>
              Artificial Sequence
 <220>
<223>
              Designed peptide based on size and polarity to act as a
              linker between the alpha and beta chains of Protein XYZ
<400>
Het Val
            Asn Leu Clu
                           Pro Met His Thr Clu Ile
                                                   10
<210>
<400>
000
```

[Annex VIII follows]

1:

ı

table. The numeric identifier shall be used only in the "Sequence Listing." The order and presentation of the items of information in the "Sequence Listing" shall conform to the arrangement given below. Each item of information shall begin on a new line and shall begin with the numeric identifier enclosed in angle brackets as shown. The submission of those items of information designated with an "O" is submission of those items of information designated with an "O" is optional. Numeric identifiers <110> through <170> shall only be set forth at the beginning of the "Sequence Listing." The following table illustrates the numeric Mentifiers.

Numeric Identifie	Definition r	Comments and	Handatory (H) or . Optional (O)
<110>	Applicant	Preferably max. of 10 names; one name per line; preferable format: Surname, Other. Names and/or Initials	H with the second secon
<120>	Title of Invention		н }
<130>	File Reference	Personal (ile reference	M, when filed prior to assignment of appl. number
<140>	Current Applica- Lion Number	Speci(y as: US 07/999,999 or PCT/US96/99999	M, if available
< 141>	Current Filing Date	Specify as: yyyy-mm-dd	M, if available
<150>	Prior Application Number	Specify as: US 07/999,999 or PCT/US96/99999	M, if applicable include priority documents under 35 USC 119 and 120
<151>	Prior Application Filing Date	Speci(y as: yyyy-mm-dd	M, if applicable
<160>	Number of SEQ ID	\$	н
<170>	Soltware	Name of software used to create the Sequence Listing	O
<210>	SEQ ID NO: H:	Response shall be an integer representing the SEQ ID NO shown	м .
<211>	Length	Respond with an integer expressing the number of bases or amino acid residues	М .

of 34

sequence molecule is DNA, RNA, OF PRT (protein). If a nucleotide sequence con- & tains both DNA * and RNA fragments, the type shall be "DNA." In addition, the combined DNA/ NNA molecule shall be further described in . the <220> to <223> (cature section.

.. Whether presented

<213> Organism

Scientific name, i.e. Genus/species, Unknown or Artificial Sequence. In addition, the "Unknown" or "Artificial Sequence" organisms shall be further described in the <220> to <223> (cature section.

<220> feature

teave blank after (220), (221-223) provide for a description of points of biological significance in the sequence.

M, under the following conditions: if "n,"
"Xaa," or a modified or unusual L-amino acid or modified base was used in a sequence; if ORGANISM is "Artificial Sequence" or "Unknown" It molecule is combined DNA/NA.

<221>

Name/Key

Provide appropriate identifier for feature, pre(erably from WIPO Standard ST. 25 (1998), Appendix 2, Tables S and 6

M, under the (ollowing conditions:==
if "n," "Xaa," or
a modified or unusual L-amino
acid or modified
base was used in
a sequence

<222>

Location

Specify location within sequence; where appropriate state number of first and last bases/amino acids

M, under the (ollowing conditions: if "n," "Xaa," or a modified or unusual L-amino acid or modified

or G

1/29/09 L \$3 PKI

in			

Other relevant

base was used in a sequence H, under the following conditions:
if "n," "Xaa," or a
modified or unusual L-amino acid or modified base was used in a sequence: J.C. ORGANISH is "Artificial Sequence," or . "Unknown"; .11 == : molecule is combined DNA/NNA:- -

٠,

=

Other Infor- mation	Other relevant information;			
ma c 2 o n	four lines	maximum # ###		
	•			
		•		
• •				

<223>

1 34

<300>	Publication Information	Leave blank ¹ after <300> /*	0
<301>	Authors	Preferably max of ten named authors of publi- cation; specify one name per line; preferable format: Surname, Other Hames and/or Initials	
<302>	Title		0
<303>	Journal		0
< 304 >	Volume		0
<305>	Issue		0
<306>	Pages		Ο·
<307>	Date	Journal date on which data published; specify as yyyy-mm-dd, 1004-yyyy or Scason-yyyy	0

< 300 > Database 0 Accession number Accession . assigned by data-Number base including database name <309> Oatabase Entry Date of entry in Date database: specify as xxyy-mm-dd or MM-YYYY <310> Patent Document Document number: 0 Number for patent-type citations only. Specify as, for example, US 07/999.999

1/29M9 1 51 PM

Document (iling Patent Filing < 311> date, for patent-Date type citations only; specify as yyyy-mm-dd pocument publication <312> Publication Date date, for patent-type citations only; specify as yyyy-mm-dd-TROM (position) TO < 3 1 3 5 Relevant (position) Residues / <400> Sequence SEQ ID NO should follow the numeric identifier and should appear ⋍: on the line preceding the actual sequence

5. Section 1.024 is revised to read as follows:

- 1.024 Form and format for nucleotide and/or amino acid sequence submissions in computer readable form.
- (a) The computer readable (orm required by 1.021(c) shall meet the following specifications:
- (1) The computer readable form shall contain a single "Sequence Listing" as either a diskette, series of diskettes, or other permissible media outlined in paragraph (c) of this section.
- (2) The "Sequence Listing" in paragraph (a) (1) of this section shall be submitted in American Standard Code for Information Interchange (ASCII) text. No other formats shall be allowed.
- (3) The computer readable form may be created by any means, such as word processors, nucleotide/amino acid sequence editors or other custom computer programs; however, it shall conform to all specifications detailed in this section.
- (4) File compression is acceptable when using diskette media, so long as the compressed file is in a self-extracting formate that will decompress on one of the systems described in paragraph (b) of this section.
- (5) Page numbering shall not appear within the computer readable form version of the "Sequence Listing" (ile.
- (6) All computer readable (orms shall have a label permanently affixed thereto on which has been hand-printed or typed: the name of the applicant, the title of the invention, the date on which the data were recorded on the computer readable form, the operating system used, a reference number, and an application Serial number and filing date, if known.
- (b) Computer readable form submissions must meet these format requirements:
- (1) Computer: IBM PC/XT/AT, or compatibles, or Apple Macintosh:
- (2) Operating System: MS-DOS, Unix or Macintosh:

143.535 1 77 LW